



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

7192276

COFE

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM



PATENT
Docket No. 7678.727

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Fischer et al.

Serial No.: 10/644,707

Filed: Aug. 20, 2003

For: DENTAL CURING LIGHT ADAPTED TO
ADMIT LIGHT AT A DESIRED ANGLE

Examiner: Cary E. O'Connor

Patent No.: 7,192,176 B2

Issue Date: Mar. 20, 2007

Art Unit
3732

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Certificate
MAY 29 2008
of Correction

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate.

RECEIVED-USPTO
Patent Publication

05/27/2008 HVUONG1 00000031 7192176

01 FC:1811


100.00 DP

MAY 29 2008

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 22 day of May, 2008.

Respectfully submitted,




Rick D. Nydegger
Attorney for Patentee
Registration No. 28,651
Customer No. 022913

RDN:jsb
Docket No. 7678.727
Certificate of Correction Documents (with check)

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 22 day of May, 2008.



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Check No. 158073 for \$100.00

RECEIVED-USPTO
Patent Publication

MAY 29 2008



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM



PATENT
Docket No. 7678.727

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Fischer et al.

Serial No.: 10/644,707

Filed: Aug. 20, 2003

For: DENTAL CURING LIGHT ADAPTED TO
ADMIT LIGHT AT A DESIRED ANGLE

Examiner: Cary E. O'Connor

Patent No.: 7,192,476 B2

Issue Date: Mar. 20, 2007

Art Unit
3732

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate.


RECEIVED-USPTO
Patent Publication

MAY 29 2008

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 22 day of May, 2008.

Respectfully submitted,




Rick D. Nydegger
Attorney for Patentee
Registration No. 28,651
Customer No. 022913

RDN:jsb
Docket No. 7678.727
Certificate of Correction Documents (with check)

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 22 day of May, 2008.



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Check No. 158073 for \$100.00

RECEIVED
PATENT OFFICE

MAY 29 2008

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,192,276 B2

Page 1 of 1

APPLICATION NO. : 10/644,707

ISSUE DATE : Mar. 20, 2007

INVENTOR(S) : Fischer et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page

Page 2, Reference 2001/0055451, change "Kubara" to --Kuhara--

Column 5

Line 9, change "angle 432" to --angle 0 432--

Column 6

Line 36, after "FIGS. 8A-8B", remove [,]

MAILING ADDRESS OF SENDER (Please do not use customer number)

Rick D. Nydegger, Esq., WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

RECEIVED USPTO
Patent Administration

MAY 29 2008

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,192,276 B2

Page 1 of 1

APPLICATION NO. : 10/644,707

ISSUE DATE : Mar. 20, 2007

INVENTOR(S) : Fischer et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page

Page 2, Reference 2001/0055451, change "Kubara" to --Kuhara--

Column 5Line 9, change "angle 432" to --angle θ 432--Column 6

Line 36, after "FIGS. 8A-8B", remove [,]

RECEIVED-USPTO
PATENT FILING OFFICE

MAY 29 2008

MAILING ADDRESS OF SENDER (Please do not use customer number)

Rick D. Nydegger, Esq., WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.